

RESTRICTED USE PESTICIDE

DUE TO HAZARD TO NON-TARGET SPECIES

For retail sale to and use only by Certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

FIFRA SECTION 24(c) SPECIAL LOCAL NEED LABEL

For Distribution and Use Only in the State of Kansas

ZP[®] Rodent Oat Bait AG

EPA Reg. No. 12455-102

EPA SLN No. **KS-12-0004**

For Control of Black-tailed Prairie Dogs

Only for Uses and Application Methods on this 24(c) SLN Label

This label valid until **December 31, 2020** or until otherwise amended, withdrawn, canceled, or suspended.

ACTIVE INGREDIENT

Zinc Phosphide 2.00%

OTHER INGREDIENTS 98.00%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling and the package label for ZP[®] Rodent Oat Bait AG (EPA Reg. No. 12455-102) must be in the possession of the user at the time of application. All applicable directions, restrictions, and precautions on the package label and on the SLN label must be followed.

Use Restrictions:

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Keep all other persons out of the treated area during this application.

RANGELAND, CROP LAND AND NONCROP AREAS

USE RESTRICTIONS:

For control of Black-tailed Prairie Dogs (*Cynomys ludovicianus*) on rangeland, in alfalfa, barley, potatoes, sugar beets, wheat, beans (dry), no-till corn, non-crop areas and fallow fields in Kansas. Please refer to the product package for the pre-harvest intervals for applications to croplands. Do not apply more than two bait applications during this period. **Do not apply ZP[®] RODENT OAT BAIT AG to cropland by broadcast applications.**

Apply bait only between July 1 and March 15 of the following year.

PREBAITING: Pre-bait with 4 grams (one teaspoon) of untreated steam crimped oats per mound, one or two days prior to baiting, to increase acceptance of treated baits by prairie dogs.

BAITING: Apply this product either by hand or with an appropriate dispensing device approximately six inches into the prairie dog burrows. Application rate must not exceed 4 grams (one teaspoon) per burrow. Dispose of spilled or unwanted bait by burial.

24(c) Registrant:



Bell Laboratories, Inc.
3699 Kinsman Blvd.
Madison, WI 53704